



扫码关注我们  
Scan code and follow us

上海洲泰轻工机械制造有限公司  
地址:上海市青浦区新协路1253号  
电话:0086-21-59229537  
传真:0086-21-69792464

浙江洲泰机械有限公司  
地址:浙江省湖州市南浔经济开发区向阳西路2088号  
电话:0572-3057980  
官网:www.zhoutaimachine.com

售后服务: 0086-17740891485  
0086-21-59221112

Shanghai ZhouTai Light Industrial Machinery Manufacturing Co., Ltd.  
Address: No. 1253 XinXie Road, Huaxin Town, Qingpu District, Shanghai  
Contact Number: 0086-21-59229537  
Fax: 0086-21-69792464  
Email: info@zhoutaimachine.com

Zhejiang ZhouTai Machinery Co., Ltd.  
Address: No.2088 West XiangYang Road, NanXun Economic and  
Technological Development Zone, Huzhou City, Zhejiang Province, China  
Contact Number: 0572-3057980  
LinkedIn: Zhoutai Machine

After-Sale Service: 0086-21-59221112 0086-18016305139  
service@zhoutaimachine.com

# POUCH MACHINE

制 | 袋 | 机

创新无处不在 CE UL

# INNOVATION WITH PASSION

Since 1992

上海洲泰轻工机械制造有限公司 - 创新无处不在

Shanghai ZhouTai Light Industrial Machinery Manufacturing Co., Ltd. - Innovation is Everywhere

## 目录

Contents

### 企业概况 / Enterprise Profile

企业简介 / Company Profile	02
公司历程 / Company History	04
合作伙伴 / Business Partner	06
企业文化 / Corporate Culture	08
解决方案 / Solution Programme	10

### 方底袋制袋机 / Flat Bottom Pouch Making Machine

AMD450FSL	方底袋制袋机 / Quad-Seal Flat Bottom Pouch Making Machine	12
AMD650FSL-S12	方底袋制袋机 / Quad-Seal Flat Bottom Pouch Making Machine	13
AMD1000FSL-S12	方底袋制袋机 / Quad-Seal Flat Bottom Pouch Making Machine	14

### 自立袋制袋机 / Stand-up Pouch Making Machine

AMD600DLMSC	多功能自立拉链袋制袋机 / Multifunctional Stand-up Pouch Making Machine	15
AMD600HLMSC	高速自立拉链袋制袋机 / High Speed Stand-up Pouch Making Machine	16
AMD350LMSC	数码印刷制袋机 / Digital Pressed Multifunctional Pouch Making Machine	17

### 中封四边封袋制袋机 / Center Seal/Four Side Seal Pouch Making Machine

AMD350Z/450Z/600Z	中封四边封袋制袋机 / Center Seal & Four Side Seal Pouch Making Machine	18
-------------------	---	----

### 医疗袋制袋机 / Medical Pouch Making Machine

AMD600-DS	多功能个体袋&复合膜顶头袋制袋机 / Chevron Pouch/Medical Header Bag Pouch Making Machine	20
AMD800S	医疗包装顶头袋(双放料)制袋机 / Medical Header Bag Pouch Making Machine	21
AMD450-ZT	中封贴条单&双出医疗袋专用机 / Pouch Making Machine for Center Seal Medical Pouch with Adhesive Tape	22

### 盒中袋制袋机 / Bag In Box Pouch Making Machine

AMD650BIB	盒中袋制袋机 / Bag In Box Pouch Making Machine	23
AMD1200BIB	盒中袋制袋机 / Bag In Box Pouch Making Machine	24

### 特殊机型 / Special Pouch Making Machine

AMD1200S	三边封袋制袋机 / Three Side Seal Pouch Making Machine	25
AMD650ZV	宠物包装袋制袋机 / Four Side Seal Pouch Making Machine	26
AMD600DSCQ	企鹅包制袋机 / Cheer Pack Making Machine	27

### 辅助机型 / Auxiliary Machine

AMD450TDL	横向拉链设备 / Transversal Direction Zipper Sealing Machine	28
AMD100-SIC	自动封管机 / Center Spout Insert Machine	29
AMD-LD-B	自动理袋捆扎设备 / Automatic Stacker&Strapping Machine	30
ZBS400	装把手装置 / Patch Handle Device	31
AMD600MQJ	线外模切机 / Off Line Die-cutting Machine	32
AMD450CW	咖啡阀机 / Automatic Coffee Valve Application Machine	33

## 企业简介

### ENTERPRISE INTRODUCTION

洲泰成立于1992年，是一家集设计研发，生产加工，机械电气整装，电气调试，全球安装的综合性的装备制造型企业，主要服务对象为包装行业中的主要领域。在液体包装，通用日化，食品包装，医疗器械包装，化工包装，宠物包装，有着举足轻重的市场占有率和技术领先性，在此类细分行业中被众多品牌商指定为供应商的设备采购要求。

洲泰有着很多荣誉，是市专精特新小巨人企业，创新型示范性企业，同时公司有着超过100多项发明，实用新型专利，也有超过10多项的PCT申请。

洲泰更是一家有家国情谊的企业，在汶川地震，新冠疫情，每年的国家扶贫上有多次的捐款，并且和当地的学校和残障机构有着相互往来的人才合作，充分证明了洲泰是一家有着社会责任的企业。

洲泰的企业标语是“创新无处不在”意味着，洲泰会用技术创新和管理变革更好的来服务于我们的客户，员工和股东，最终实现一个共创和共富的组织！

Established in 1992, Zhoutai is a comprehensive equipment manufacturing enterprise that integrates design and research and development, production and processing, mechanical and electrical assembly, electrical debugging, and global installation. Its main service targets are the main fields in the packaging industry. In liquid packaging, general daily chemical, food packaging, medical device packaging, chemical packaging, and pet packaging, it has a significant market share and technological leadership, and is designated as a supplier by many brand manufacturers in such segmented industries for equipment procurement requirements.

Zhoutai has many honors and is a small and innovative demonstration enterprise focused on innovation in the city. At the same time, the company has over 100 invention and utility model patents, as well as more than 10 PCT applications.

Zhoutai is also an enterprise with family and country friendship. It has made many donations in the Wenchuan earthquake, the COVID-19, and the national poverty alleviation every year. It also has mutual talent cooperation with local schools and disabled institutions, which fully proves that Zhoutai is an enterprise with social responsibility.

The corporate slogan of Zhoutai is "Innovation is Everywhere", which means that Zhoutai will use technological innovation and management change to better serve our customers, employees, and shareholders, ultimately achieving a co creation and co prosperity organization!



1992年企业成立



70000m²生产面积



100+项专利申请



公司历程  
COMPANY  
HISTORY

A

1992

上海新泾加工厂成立,专业生产各类零部件。

Shanghai Xinjing Processing Factory was established, specializing in the production of various components.

B

2001

洲泰机械成立,第一台和第二台洲泰制袋机诞生。

Zhoutai Machinery was established, and the first and second Zhoutai bag making machines were born.

C

2006

洲泰第一台设备出口到亚洲,第一台高速自立袋设备正常投入使用。

The first equipment of Zhoutai was exported to Asia, and the first high-speed self-supporting bag equipment was put into use normally

D

2012

洲泰第一台平底袋设备面世。

The first flat bottomed bag equipment from Zhoutai has been launched

E

2014

洲泰上海工厂竣工,生产面积突破25000平米,洲泰生产量达到100台/年。

The Shanghai factory of Zhoutai has been completed, with a production area exceeding 25000 square meters and a production capacity of 100 units per year.

F

2019

洲泰SAP系统上市,并获得TUV企业认证,同年浙江洲泰开始建设。

Zhoutai SAP system went public and obtained TUV enterprise certification. In the same year, Zhejiang Zhoutai began construction.

G

2021

洲泰浙江工厂竣工,生产面积共计超过60000平米,同年设备生产总量突破300台/年。

The Zhejiang factory of Zhoutai has been completed, with a total production area of over 60000 square meters. The total equipment production in the same year exceeded 300 units per year.

H

2023

洲泰细分事业部:医疗器械包装,液体包装,等细分机型划分,事业部独立核算。洲泰全球总部开始建设。

Zhoutai Sub division Business Unit: Medical device packaging, liquid packaging, and other sub models are divided and independently accounted for by the business unit. Zhoutai Global Headquarters begins construction.

I

2024

洲泰全球首台全自动,去人化制袋机面世。洲泰全球总部竣工,生产面积突破75,000平米,产能预计突破500台。

Interview for Zhoutai's world's first fully automatic and humanized bag making machine. The global headquarters of Zhoutai has been completed, with a production area exceeding 75000 square meters and an expected production capacity of over 500 units.

# 合作伙伴

## COOPERATIVE PARTNER

未来洲泰机械将会继续和国际上优秀的相关企业合作, 实现长期和稳步的发展。

In the future, ZhouTai Machinery will continue to cooperate with excellent international companies to achieve long-term and steady development.

### ● 国际合作伙伴

Amcor/Global  
ACW/USA  
Accredo/USA  
Constantia/Global  
Clifton Pkg/UK  
Emusa/Ecuador  
EPP/Dubai  
Gualapack/Global  
Huhtamaki/Global  
IPV/Italy  
Layfield/Global  
Rossoplast/Poland  
Rotografia/Egypt  
Rotoplast/Croatia  
Sagma Group/Mexico  
Uflex/Global

### ● 国内合作伙伴

安姆科集团  
顶正事业  
黄山永新  
江苏海顺  
旺旺集团  
湖北宏裕  
南海利达  
厦门金德威集团  
福建凯达集团  
无锡申凯  
浙江金石  
河北智优捷  
河南金牛  
南方包装  
青岛方大  
浙江粤海



# 企业文化

## CORPORATE CULTURE

### 顺应时代

#### Adapt to the times

企业负责人要有前瞻性,把握时代发展的方向,找到企业自身优劣势,不断提升,优化和创新,引领公司抓住时代机遇。

Enterprise leaders should have foresight, grasp the direction of the times, identify the strengths and weaknesses of the enterprise itself, continuously improve, optimize and innovate, and lead the company to seize the opportunities of the times.



### 价值相当

#### Equivalent Value

每个部门都要统一思想,把握好企业核心战略目标,了解客户需求,不断提升自身专业能力,站在企业发展角度看问题,做最正确的企业决策,实现价值的持续增长。

Each department should unify their thinking, grasp the core strategic goals of the enterprise, understand customer needs, continuously improve their professional abilities, view problems from the perspective of enterprise development, make the most correct enterprise decisions, and achieve sustained value growth.



### 拥有人文

#### Embrace Humanity

建立合适的企业文化,打造一个适合人才发展,留得住人,并属于这个时代的人文体系,最终实现凝聚力和执行力的提升。

Establish a suitable corporate culture, create a humanistic system that is suitable for talent development, retain talents, and belongs to this era, ultimately achieving the improvement of cohesion and execution.



## INNOVATION IS EVERYWHERE



### 求知若饥 虚心若愚 不懂装懂 永世饭桶

Seeking knowledge is like hunger, being humble is like foolishness. Pretending to understand without understanding is an eternal rice bucket.

努力的笨蛋不可怕,怕的是自以为是的傻瓜和工作氛围。  
A hardworking fool is not scary, but rather a self righteous fool and a work atmosphere.



### 培训是不断统一队伍思想的途径 学习是永不掉队的方法

Training is a way to constantly unify team thinking and learning is a method that never falls behind.

用好培训的工具,抓住管理重点统一思想。学习保持自身能力不被市场和业务所淘汰。  
Make good use of training tools, grasp management priorities, and unify thinking. Learn to maintain one's own abilities from being eliminated by the market and business.



### 岗位标准和工作要求不是一蹴而就 保持好延续是美德

Job standards and job requirements are not achieved overnight. Maintaining good continuity is a virtue.

岗位标准工作要求可以慢慢细化更新完善。好习惯好风气要延续下去,不断提炼不断优化。  
The job standards and job requirements can be gradually refined, updated, and improved. Good habits and good culture need to be continued, constantly refined and optimized.



### 只做目标客户群体的产品

Products Targeting Only The Target Customer Group.

洲泰是有品牌的企业,以客户分类来做有档次的产品。  
Zhoutai is a branded enterprise that produces high-end products based on customer classification.



### 品质是一种态度 更是一种精神

Quality is not only an attitude but also a spirit.

品质不是口号,要以差不多精神为耻,反复确认没做好的责任心为荣。  
Quality is not a slogan. It is shameful to have a similar spirit and take pride in repeatedly confirming a sense of responsibility that has not been done well.



### 工作利人利己 为接力部门分担

Work for the benefit of others and oneself, sharing the responsibility for the relay department.


无论是工作任务和时间分配,还是工作的完成情况为后续人是否能减轻负担,都要操起责任心。  
Whether it is work tasks and time allocation, or whether the completion of work can reduce the burden on subsequent personnel, it is important to have a sense of responsibility.



### 事无巨细 做一样爱一样专一样

No matter how big or small, do the same as love, be the same as dedication.

任何部门要有钻研心,对所处理事务要尽量去钻研才能保证自己的论证结果和过程是能够过得了自己的认可和公司的认可。没有任何一个事项是不细节的,投入最基本的就是喜欢去做这件事。  
Any department should have a research mindset and strive to delve into the affairs they handle in order to ensure that their arguments and processes are recognized by themselves and the company. There is nothing that is not detailed, and the most basic investment is to enjoy doing it.



## 解决方案

### SOLUTION PROGRAMME

#### 核心服务 Core service

我们为您提供了一站式服务。针对您的袋型需求，我们可以提供最合适的机型，并根据实际进行个性化定制。您将从我们提供的多系列和灵活的机型选择方案中收益。从生产到调试再到验收发机，我们都有专业的技术人员负责，严格执行配置，并在每一环节都做到质量监控。您将通过我们全面的流程化管理，如约获得高质量的产品。

We provide you with one-stop service. We can provide the most suitable machine for your pouch-type needs and customize it according to your requirements. You will benefit from the multi-series and flexible machine selection program we provide. From production to commissioning to inspection, we have professional technicians personnel responsible for strict implementation of specification, and quality control in every link. You will obtain high-quality products as scheduled through our comprehensive process management.

#### 售后服务 After-sale service

我们的技术人员和工程师在设备装配和调试上具有专业的技能与丰富的经验，他们持续积累和更新维修案例数据库，确保能快速地判断和解决问题。远地区的客户亦无须担心维修难题，通过远程连接，我们的工程师可以实时监控设备性能，并提出合理解决方案。您将充分利用我们的专业知识和创新解决方案，减少设备停机时间和维修成本。

Our technicians and engineers have professional skills and rich experience in machine assembly and commissioning. They continue to accumulate and update the maintenance case database to ensure that they can quickly determine and solve problems. Customers in remote areas do not need to worry about maintenance problems. Through remote connection, our engineers can monitor the equipment performance in real time and propose reasonable solutions. You will make full use of our expertise and innovative solutions to reduce machine downtime and maintenance costs.

#### 企业证书 Enterprise certificate



FLAT BOTTOM POUCH MAKING MACHINE

方底袋制袋机



► AMD450FSL


改良型方底袋制袋机 / Quad-Seal Flat Bottom Pouch Making Machine

型号	AMD450FSL
可制袋型	四边封袋, 方底袋, 自立袋
主膜尺寸	最大 1200mm, 直径 800mm / 侧风琴最大 250mm 直径 800mm
速度	35~100 切/分
机械速度	30 米/分
制袋宽度	最大 300mm, 最小 100mm
制袋高度	最大 450mm, 最小 180mm, 侧风琴 25~60mm

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD450FSL
Performance	Quad Seal, Flat Bottom Pouch, Stand-up Pouch
Max Web Size	Body Film 1200mm, φ800mm / Side Gusset Film 250mm, φ800mm
Speed	35~100 Cuts/min
Material Speed	30 Meters/min
Width of Bag	Max 300mm, Minimum 100mm
Height of Bag	Max 450mm, Minimum 180mm, Side Gusset 25~60mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



►制袋规格/POUCH SIZE

单出平底拉链袋袋高:450mm  
自立袋拉链袋袋高:190mm-450mm  
翻底深度:25mm-60mm

1-up FB Pouch Max: 450mm  
Stand-up Zipper Pouch Height: 190mm~450mm  
Bottom Gusset Depth: 25mm~60mm



FLAT BOTTOM POUCH MAKING MACHINE

方底袋制袋机



► AMD650FSL-S12


改良型方底袋制袋机 / Quad-Seal Flat Bottom Pouch Making Machine

型号	AMD650FSL-S12
可制袋型	四边封袋, 方底袋
主膜尺寸	最大 1300mm, 直径 800mm
贴底膜尺寸	最大 330mm, 直径 800mm
速度 (方底袋)	35~120 切/分
机械速度	36 米/分
制袋宽度	最大 300mm, 最小 100mm (无倍送)
制袋高度	最大 650mm, 最小 180mm, 侧风琴长度≥180mm

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD650FSL-S12
Performance	Quad Seal, Flat Bottom Pouch
Size of Body Film	Max Width 1300mm, φ800mm
Size of Inserted Bottom	Max Width 330mm, φ800mm
Speed(Flat-bottom Pouch)	35~120 Cuts/min
Material Speed	36 Meters/min
Width of Bag	Max 300mm, Minimum 100mm (No Skip Function)
Height of Bag	Max 650mm, Minimum 180mm, Side Gusset Length≥180mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



►制袋规格/POUCH SIZE

最大制袋高度:650mm  
最小侧风琴长度:170mm  
最小侧风琴宽度:60mm

Height of Max Pouch:Max 650mm-H,  
Minimum Side Gusset Length:170mm  
Min Side Gusset Width: 60mm



FLAT BOTTOM POUCH MAKING MACHINE

方底袋制袋机




► AMD1000FSL-S12

标准型方底袋制袋机 / Quad-Seal Flat Bottom Pouch Making Machine

型号	AMD1000FSL-S12
可制袋型	四边封袋, 方底袋
主膜尺寸	上放料 1020mm, 下放料 1320mm, 直径 800mm
侧风琴膜尺寸	最大 420mm, 直径 800mm
速度(方底袋)	25~65 切/分
机械速度	24 米/分
制袋宽度	最大 400mm (6倍送), 最小 100mm
制袋高度	最大 1000mm, 最小 400mm
制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。	

Machine Type	AMD1000FSL-S12
Performance	Quad Seal, Flat Bottom Pouch
Size of Body Film	Up 1020mm, Down 1320mm, φ800mm
Size of Side Gusset	Max Width 420mm, φ800mm
Speed(Flat-bottom Pouch)	25~65 Cuts/min
Material Speed	24 Meters/min
Width of Bag	Max 400mm(Up to 6 Skips)
Height of Bag	Max 1000mm, Minimum 400mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



►制袋规格/POUCH SIZE

单出方底袋/四边封袋高度: 400mm~1000mm  
双出方底袋/四边封袋高度: 200mm~500mm  
侧风琴插深: 25-100mm

1up Flat Bottom/Four Side Seal pouch height : 400mm~1000mm  
2up Flat Bottom/Four Side Seal pouch height: 200mm~500mm  
Depth Gusset: Min 25mm~Max 100mm



STAND-UP POUCH MAKING MACHINE

自立袋制袋机




► AMD600DLMSC

多功能自立拉链袋制袋机 / Multifunctional Stand-up Pouch Making Machine

型号	AMD600DLMSC
可制袋型	三边封, 连体自立袋, 贴底自立袋, 拉链袋
主膜尺寸	膜宽 1220mm, 直径 800mm
速度(三边封袋)	35~180 切/分
速度(连体自立袋)	35~100 切/分
速度(贴底自立袋)	35~120 切/分
制袋宽度	最大 300mm
制袋高度	最大 580mm
制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。	

Machine Type	AMD600DLMSC
Performance	Three Side Seal, Inserted Bottom Gusset Stand-Up Pouch, Folded Bottom Gusset Stand-Up Pouch, Zipper Pouch
Size of Body Film	Width 1220mm, φ800mm
Speed(Three Side Seal)	35~180 Cuts/min
Speed(Folded Bottom Stand-up Pouch)	35~100 Cuts/min
Speed(Inserted Bottm Stand-up Pouch)	35~120 Cuts/min
Width of Bag	Max 300mm(Up to 6 Skips)
Height of Bag	Max 580mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



►制袋规格/POUCH SIZE


三边封高度: 80~580mm  
自立拉链袋: 120~550mm\*80~300mm  
袋宽(袋宽可做倍送): 80-300mm (可做6倍送)  
底部插深(连体): 25~65mm

Three Side Seal: Height 80~580mm  
Stand-up Zipper Pouch: Height X Width 120~550mmX80~300mm  
Bag Width(Width can go for Skip Knife): 80~300mm (Up to 6 Skips)  
The Depth of Bottom Gusset (Folded): 25~65mm



STAND-UP POUCH MAKING MACHINE

自立袋制袋机



► AMD600HLMSC


多功能自立拉链袋制袋机 / Multifunctional Stand-up Pouch Making Machine

型号	AMD600HLMSC
可制袋型	三边封, 连体自立袋, 贴底自立袋, 拉链袋
主膜尺寸	膜宽 1220mm, 直径 800mm
速度 (三边封袋)	35~220 切/分
速度 (连体自立袋)	30~160 切/分
速度 (贴底自立袋)	30~200 切/分
制袋宽度	最大 250mm
制袋高度	最大 580mm

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD600HLMSC
Performance	Three Side Seal, Inserted Bottom Gusset Stand-Up Pouch, Folded Bottom Gusset Stand-Up Pouch, Zipper Pouch
Size of Body Film	Width 1220mm, φ800mm
Speed(Three Side Seal)	35~220 Cuts/min
Speed(Folded Bottom Stand-up Pouch)	30~160 Cuts/min
Speed(Inserted Bottom Stand-up Pouch)	30~200 Cuts/min
Width of Bag	Max 250mm(Up to 6 Skips)
Height of Bag	Max 580mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



► 制袋规格/POUCH SIZE


三边封制袋尺寸: 袋高 80~580mm  
自立拉链袋尺寸: 120~550mm \* 80~250mm  
自立拉链袋 (双出) : 120~275mm\*80~250mm  
连体拉链自立袋 (单出) : 120~550\*80~250

Performed Pouch Details:  
Three Side Seal: Height 80~580mm  
Stand-up Zipper Pouch:  
Height X Width 120~550mmX80~250mm  
2-UP SUP with Zipper:  
Height X Width 120~275mmX80~250mm  
Stand-up with Folded Gusset Zipper(1-up):  
Height X Width 120~550mmX80~250mm



STAND-UP POUCH MAKING MACHINE

自立袋制袋机



► AMD350LMSC


数码印刷制袋机 / Digital Pressed Multifunctional Pouch Making Machine

型号	AMD350LMSC
可制袋型	三边封, 连体/贴底自立 (拉链) 袋
主膜尺寸	最大宽度 750mm, 直径 800mm
贴底尺寸	最大宽度 120mm, 直径 600mm
速度	150 切/分
速度 (机械速度)	35 米/分
三边封袋	宽度 80~350mm (最大6倍送)
自立拉链袋	(袋高 x 袋宽) 135~350mm x 80~250mm (可倍送)

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD350LMSC
Performance	Three Side Seal, Inserted Bottom Gusset Stand-Up Pouch, Folded Bottom Gusset Stand-Up Pouch with Zipper
Size of Body Film	Max Width 750mm, φ800mm
Bottom Gusset Film	Max Width 120mm, φ600mm
Speed	150 Cuts/min
Material Speed	35 Meters/min
Three Side Seal	Width 80~350mm (Up to 6 Skips)
Stand-up Zipper Pouch	(Height x Width) 135~350mm x80~250mm (Width can go for Skip Knife)

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



► 制袋规格/POUCH SIZE


最大制袋宽度: 250mm (可做6倍送)  
底部插深 (连体) : 25~60mm  
底部插深 (贴底) : 20~60mm

Width of Max Pouch: Max 250mm (Up to 6 Skips)  
The Depth of Bottom Gusset (Folded) : 25~60mm  
The Depth of Bottom Gusset (Inserted) : 20~60mm



CENTER SEAL/FOUR SIDE SEAL POUCH MAKING MACHINE

中封/四边封袋制袋机



► AMD350/450/600Z

中封四边封袋制袋机 / Center Seal & Four Side Seal Pouch Making Machine


型号	AMD350/450/600Z
可制袋型	四边封袋, 中封袋
主膜尺寸	膜宽 720mm/920mm/1220mm, 直径 600mm
机械速度	35~200 切/分
制袋宽度(中封袋)	80~350mm/80~450mm/120~600mm
制袋宽度(四边封袋)	100~180mm/100~200mm/200~360mm

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD350/450/600Z
Performance	Four Side Seal, Center Seal Pouch
Size of Body Film	Width 720mm/920mm/1220mm, φ600mm
Machine Speed	35~200 Cuts/min
Width of Bag(Center Seal Pouch)	80~350mm/80~450mm/120~600mm
Width of Bag(Four Side Seal Pouch)	100~180mm/100~200mm/200~360mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

► 制袋规格/POUCH SIZE




350Z

中封袋:袋宽 80~350mm  
四边封:袋宽 100~180mm  
风琴插深:20~60mm  
袋长:60~250mm (可做6倍送)

350Z

Center Seal: Width 80~350mm  
Quad Seal: Width 100~180mm  
Gusset depth: 20~60mm  
Bag Length: 60~250mm (Up to 6 Skips)




450Z

中封袋:袋宽 80~450mm  
四边封袋:袋宽 100~200mm  
风琴插深:20~60mm  
袋长:60~250mm (可做6倍送)

450Z

Center Seal: Width 80~450mm  
Quad Seal: Width 100~200mm  
Gusset depth: 20~60mm  
Bag Length: 60~250mm (Up to 6 Skips)



600Z

中封袋:宽度120~600mm  
四边封袋:宽度200~360mm  
风琴插深:20~80mm  
袋长:60~300mm (可做6倍送)

600Z

Center Seal: Width 120~600mm  
Quad Seal: Width 200~360mm  
Gusset depth: 20~80mm  
Bag Length: 60~300mm (Up to 6 Skips)

# MEDICAL POUCH MAKING MACHINE

## 医疗袋制袋机



### ► AMD600-DS


多功能个体袋/复合膜顶头袋制袋机 / Chevron Pouch/Medical Header Bag Pouch Making Machine

型号	AMD600-DS 多功能个体袋/复合膜顶头袋制袋机
制袋速度	25米/分
顶头袋速度	10~50段/分
制袋规格尺寸	三边封袋:袋宽 80~580mm 袋高60~300 mm (可做6倍送) 顶头袋:袋宽80~300mm 袋高120~550mm (可做6倍送)

制袋能力取决于薄膜材料、厚度等。由于设备改进,设备参数等将不另做更新。

Machine Type	AMD600-DS Chevron Pouch/Medical Header Bag Pouch Making Machine
Machine Speed	25 meters/min
Medical Header Bag Speed	10~50 cuts/min
Bag Size	Three Side Seal: Width 80~580mm Height 60~300 mm (with 6 Skips) Medical Header Bag: Width 80~300mm Height 120~550mm (with 6 Skips)

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



#### ► 制袋规格/POUCH SIZE

最大制袋高度:580mm  
最大制袋宽度:300mm  
三边封袋制袋尺寸:袋宽 80~580mm  
袋宽:60-300mm (可做6倍送)

Height of Max Pouch: Max 580mm-H  
Width of Max Pouch: Max 300mm  
Performed Pouch Details:  
Three Side Seal: Width 80~580mm  
Bag Width: 60~300mm (Up to 6 Skips)



# MEDICAL POUCH MAKING MACHINE

## 医疗袋制袋机



### ► AMD800S


医疗包装顶头袋(双放料)制袋机 / Medical Header Bag Pouch Making Machine

型号	AMD800S 医疗包装顶头袋(双放料)制袋机
制袋速度	35米/分
顶头袋速度	15~60段/分
制袋规格尺寸	袋宽X袋高 80~300mmX80~750mm

制袋能力取决于薄膜材料、厚度等。由于设备改进,设备参数等将不另做更新。

Machine Type	AMD800S Medical Header Bag Pouch Making Machine
Machine Speed	35 meters/min
Medical Header Bag Speed	15~60 cuts/min
Bag Size	Width X Height 80~300mmX80~750mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



#### ► 制袋规格/POUCH SIZE


最大制袋高度:750mm  
最大制袋宽度:300mm  
顶头袋制袋尺寸:袋高 80~750mm  
袋宽:80-300mm (可做6倍送)

Height of Max Pouch: Max 750mm-H  
Width of Max Pouch: Max 300mm  
Performed Pouch Details:  
Header Bag: Height 80~750mm  
Bag Width: 80~300mm (Up to 6 Skips)



MEDICAL POUCH MAKING MACHINE

医疗袋制袋机



► AMD450-ZT


中封贴条单、双出医疗袋专用机 / Pouch Making Machine for Center Seal Medical Pouch with Adhesive Tape

型号	AMD450-ZT 中封贴胶带双出医疗袋专用机
制袋速度	150段/分
顶头袋速度	30~60段/分
制袋规格尺寸	袋宽X袋高 80~430mm X 60~250mm

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD450-ZT Pouch Making Machine for Center Seal Medical Pouch with Adhesive Tape
Machine Speed	150 cuts/min
Medical Header Bag Speed	30~60 cuts/min
Bag Size	Width X Height 80~430X60~250mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



► 制袋规格/POUCH SIZE

最大制袋高度:250mm  
最大制袋宽度:430mm  
顶头袋制袋尺寸:袋高 60~250mm  
袋宽:80~430mm (可做6倍送)

Height of Max Pouch: Max 250mm-H  
Width of Max Pouch: Max 430mm  
Performed Pouch Details:  
Three Side Seal: Width 60~250mm  
Bag Width: 80~430mm (Up to 6 Skips)



BAG IN BOX POUCH MAKING MACHINE

盒中袋制袋机



► AMD650BIB

盒中盒制袋机 / Bag In Box Pouch Making Machine

型号	AMD650BIB
可制袋型及尺寸	三边封袋 袋高X袋宽 80~600mmX 60~300mm 盒中袋 袋高X袋宽 200~600mm X 120~300mm
制袋速度 (机械速度)	35米/分
制袋速度 (盒中袋速度)	10~30切/分

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD650BIB
Performance	Three Side Seal Height x Width 80~600mmx 60~300mm BIB Pouch Height X Width 200~600mm X 120~300mm
Material Speed	35 Meters/min
Stand-Up Pouch with Welded Tap	10~30 Cuts/min

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

► 制袋规格/POUCH SIZE


最大制袋高度:600mm  
最大制袋宽度:300mm  
三边封袋:袋高 80~600mm  
袋宽:60~300mm (可做6倍送)

Height of Max Pouch: Max 600mm-H  
Width of Max Pouch: Max 300mm  
Performed Pouch Details:  
Three Side Seal: Height 80~600mm  
Bag Width: 60~300mm (Up to 6 Skips)



BAG IN BOX POUCH MAKING MACHINE

盒中袋制袋机



► AMD1200BIB

盒中盒制袋机 / Bag In Box Pouch Making Machine

型号	AMD1200BIB
可制袋型及尺寸	盒中袋 袋高X袋宽420~1200mmX150~500mm
制袋速度 (机械速度)	25米/分
制袋速度 (盒中袋速度)	5~30切/分

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD1200BIB
Performance	Height x Width 420~1200mmX150~500mm (Up to 6 Skips)
Material Speed	25 Meters/min
Pillow bag Speed	5~30 Cuts/min

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

►制袋规格/POUCH SIZE


制袋高度:420~1200mm  
制袋宽度:150~500mm(袋宽可做倍送)  
袋宽:150~500mm (可做6倍送)

Performed Pouch Details:  
Height of Pouch: 420~1200mm  
Width of Pouch: 150~500mm (Width can go for Skip Knife)  
Bag Width: 150~500mm (Up to 6 Skips)



SPECIAL POUCH MAKING MACHINE

特殊机型



► AMD1200S


三边封袋制袋机 / Three Side Seal Pouch Making Machine

型号	AMD1200S
可制袋型	三边封袋
主膜尺寸	膜宽 1220mm, 直径 600mm
速度	10~100 切/分
制袋宽度	100~500mm (可6倍送)
制袋高度	400~1200mm

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD1200S
Performance	Three Side Seal Pouch
Size of Body Film	Width 1220mm, φ600mm
Speed	10~100 Cuts/min
Width of Bag	100~500mm (Up to 6 Skips)
Height of Bag	400~1200mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



►制袋规格/POUCH SIZE

最大制袋高度:1200mm  
最大制袋宽度:500mm  
三边封袋:袋高400~1200mm  
袋宽:100~500mm (可做6倍送)

Height of Max Pouch: Max 1200mm-H  
Width of Max Pouch: Max: 500mm  
Performed Pouch Details:  
Three Side Seal: Height 400~1200mm  
Bag Width: 100~500mm (Up to 6





► AMD650ZV

宠物包装袋制袋机 / Four Side Seal Pouch Making Machine

型号	AMD650ZV
可制袋型	四边封袋
主膜尺寸	1300mm, 直径1000mm
速度	16-65切/分
速度 (机械速度)	45米/分
制袋尺寸 (四边封袋宽度)	150~450mm
制袋尺寸 (袋长)	360~1000mm
制袋尺寸 (四边封袋插深)	20~80mm

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD650ZV
Performance	Four Side Seal/Quad Seal
Size of Body Film	1300mm, φ1000mm
Speed	16~65 Cuts/min
Speed (Material Speed)	45 Meters/min
Performed Pouch Details (Quad Seal Width)	150~450mm
Performed Pouch Details (Bag Length)	360~1000mm
Performed Pouch Details (Gusset Depth)	20~80mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

- 制袋规格/POUCH SIZE
- 四边封袋宽度:150~450mm

四边封折叠深度:20~80mm

折底喷胶最小袋长:360mm
- Width Of Pouch:180~400mm

Depth Of Pouch: 30~80mm

Minimum Length Of Folded Bottom And Gluing: 360mm



► AMD600DSCQ

企鹅包制袋机 / Cheer Pack Making Machine

型号	AMD600DSCQ
可制袋型	三边封, 四出贴底自立袋、三出企鹅袋
主膜尺寸	直径1220mm
制袋速度 (三边封)	35~180切/分
制袋速度 (贴底自立)	35~120切/分
制袋速度 (企鹅包)	35~100切/分

制袋能力取决于薄膜材料、厚度等。由于设备改进, 设备参数等将不另做更新。

Machine Type	AMD600DSCQ
Performance	Three Side Seal,Inserted Bottom Gusset Stand-up Pouch~4UP,CheerPack~3UP
Size of Body Film	Max1220mm
Speed(Three Side Seal)	35~180Cuts/min
Speed(Stand-up Pouch)	35~120Cuts/min
Speed(CheerPack)	35~100Cuts/min

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

- 制袋规格/POUCH SIZE
- 制袋高度:580mm

制袋宽度:300mm

制袋高度 (三边封): 80~580mm

制袋尺寸 (自立袋): 120~550mm\*80~300mm
- Height of Max Pouch:580mm

Width of Max Pouch:300mm

Three Side Seal:Height 80~580mm

Stand-up Pouch:Height\*Width 120~550mm\*80~300mm





AUXILIARY MACHINE

辅助机型



► AMD450TDL

横向拉链设备 / Transversal Direction Zipper Sealing Machine

型号	AMD450TDL
适用机型	中封四边封制袋机
适用材料范围	最大膜宽 1320mm
放卷卷径	800mm
收卷卷径	900mm
横向拉链尺寸	最大长度 400mm
可做袋子尺寸	袋长 150~450mm (可6倍送)

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD450TDL
Suitable for	Center Seal , Four Side Seal Pouch Making Machine
Material Max Size	Width Max 1320mm
Unwind Diameter	Max 800mm
Rewind Diameter	Max 900mm
Transversal zipper length	Max Length 400mm
Performance	Bag Length 150~450mm (Up to 6 Skips)

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.



AUXILIARY MACHINE

辅助机器



► AMD100-SIC

自动封管机 / Center Spout Insert Machine

型号	AMD100-SIC
适用袋型	三边封, 自立袋, 企鹅包, 八边封等液体小袋包装
适用嘴型	带卡口长, 短塑料嘴
封管速度	50~80个/分, 双出
袋型规格尺寸	袋高 100~220mm, 袋宽 70~120mm

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD100-SIC
Applications	Stand-up Pouch, Cheer Pack, Flat Bottom Pouch
Spout Type	One Lock, Double Lock
Speed	50~80 Pcs/min, Each Lines 25~40 Cycles/min
Performance	Height 100~220mm, Width 70~120 mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

AUXILIARY MACHINE

辅助机型



► AMD-LD-B

自动理袋捆扎设备 / Automatic Stacker&Strapping Machine

型号	AMD-LD-B
通道	单出/双出
出料方向	横向/纵向
产品尺寸范围	袋高 x 袋宽 120~280mm x 100~180mm
模切速度	30~120切/分 (根据袋子尺寸衡量速度)
打包方式	50~200个/扎 (数量可调节)


制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD-LD-B
Performance	1-up/ 2-up
Pouch Direction	Crosswise/Longitudinal
Available Pouch Size	Height x Width 120~280mm x 100~180mm
Machine Speed	30~120 Cuts/min (Variable Based on Pouch Size)
Bundling Up	50~200 Pcs/bundle (Quantity is Adjustable)

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

AUXILIARY MACHINE

辅助机型



► ZBS400

装把手装置 / Patch Handle Device

型号	ZBS400
适用机型	方底袋制袋机
适用膜宽	最大 400mm
第一加强卷尺寸	最大直径 500mm 一次送料长度 200mm
第二贴片卷尺寸	最大直径 500mm 一次送料长度 200mm

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	ZBS400
Suitable for	Flat Bottom Pouch Machine
Film Size	Max 400mm
1st Patch	1st Patch Roll Dmax=500mm Robotic Inserting Length Max=200mm
2nd Patch	2nd Patch Roll Dmax=500mm Robotic Inserting Length Max=200mm

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

AUXILIARY MACHINE

辅助机型



► AMD600MQJ

线外模切机 / Off Line Die-cutting Machine

型号	AMD600MQJ
可制袋型	异型袋
模切高 X 宽	550X300mm
模切速度	最快 180 段/分

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD600MQJ
Performance	Unique Shaped pouch
Die Cutting Size	550X300mm
AMachine Speed	Max.180 cuts/min

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.

AUXILIARY MACHINE

辅助机型



► AMD450CW

咖啡阀机 / Automatic Coffee Valve Application Machine

型号	AMD450CW
适用袋型	三边封袋, 自立袋, 中封袋, 方底袋, 四边封袋
制袋尺寸	最大长度360mm
	最大宽度250mm
	袋口到咖啡阀的距离45~130mm
机器速度	运行速度:5~15pcs/分

制袋能力取决于薄膜材料、厚度等。由于设备改进，设备参数等将不另做更新。

Machine Type	AMD450CW
Performance	Three Side Seal Pouch,Stand-up Pouch with/without zipper,Central Sealing Gusset Bag,Flat Bottom Pouch with/without zipper,Four Side Seal Pouch
Pouch Size	Max Length:360mm
	Max Width:250mm
	Coffee Valve position from Top of bag:45~130mm
Machine Speed	Operating Speed:5~15pcs/min

Pouch making capacity depends on film material, thickness and option. Due to equipment improvement, the above-mentioned figures and appearance may be changed without notice.